Contents of Aquatic Botany, Volume 53

VOL. 53 NOS. 1,2	MARCH 199	16
Special Issue: In Honour of Professor J.M.A. Brown		
A tribute to Professor Dr. J.M.A. Brown C. Den Hartog (Nijmegen, Netherlands)		1
Dissolved inorganic carbon influences the photosynthetic responses of <i>Hydrilla</i> to photoi conditions		
A. White, J.B. Reiskind and G. Bowes (Gainesville, FL, USA)		3
T.V. Madsen, S.C. Maberly and G. Bowes (Risskov, Denmark)	1	15
M.D. De Winton and J.S. Clayton (Hamilton, New Zealand)	3	31
B.K. Sorrell and F.I. Dromgoole (Auckland, New Zealand)	4	47
C.J. Mann and R.G. Wetzel (Tuscaloosa, AL, USA)		61
M. Søndergaard, L. Bruun, T. Lauridsen, E. Jeppesen (Silkeborg, Denmark) and T.V. (Risskov, Denmark) The effects of ammonium on growth, accumulation of free amino acids and nutritional status		73
phosphorus deficient Stratiotes aloides plants A.J.P. Smolders, C. Den Hartog, C.B.L. Van Gestel and J.G.M. Roelofs (Nijmegen, Nethe Tides, light and the distribution of Zostera marina in Long Island Sound, USA	rlands) .	85
E.W. Koch (Cambridge, MD, USA) and S. Beer (Groton, CT, USA)	uction of	97
R.G. Wetzel and D. Pickard (Tuscaloosa, AL, USA)	da	09
D.L. Sutton (Fort Lauderdale, FL, USA)	1	21
VOL. 53 NOS. 3,4	APRIL 19	96
Effects of a potential biocontrol agent, Euhrychiopsis lecontei, on Eurasian watermilfoil in extal tanks	perimen-	
R.M. Newman, K.L. Holmberg, D.D. Biesboer and B.G. Penner (St. Paul, MN, USA) Influences of water depth and substrate nitrogen on leaf surface area and maximum bed ext. Nymphaea odorata		31
M. Sinden-Hempstead and K.T. Killingbeck (Kingston, RI, USA)	1	51

Rhizome growth of Menyanthes trifoliata L. in a population on a floating peat mat in Mizorogaii Pond, central Japan	ke
A. Haraguchi (Nayoro, Japan)	. 163
Effects of waves on helophyte stands: mechanical characteristics of stems of Phragmites australis at	
Scirpus lacustris	
H. Coops (Lelystad, The Netherlands) and G. Van der Velde (Nijmegen, The Netherlands)	
Interactions between waves, bank erosion and emergent vegetation: an experimental study in a watank	ve
H. Coops, N. Geilen (Lelystad, The Netherlands), H.J. Verheij (Emmeloord, The Netherlands),	R.
Boeters (Delft, The Netherlands) and G. Van der Velde (Nijmegen, The Netherlands)	187
Distribution, abundance, and species composition of seagrasses at several sites in Oman	
B.P. Jupp (Muscat, Oman), M.J. Durako (St. Petersburg, FL, USA), W.J. Kenworthy, G.W. Thay	er
(Beaufort, NC, USA) and L. Schillak (Frankfurt, Germany)	
Seasonal light and temperature responses of Caulerpa taxifolia from the northwestern Mediterrane	
E. Gacia, C. Rodríguez-Prieto, O. Delgado and E. Ballesteros (Girona, Spain)	215
Technical communications	
A power analysis of methods for assessment of change in seagrass cover	
W.S. Heidelbaugh and W.G. Nelson (Melbourne, FL, USA)	227
Detecting an environmental impact of dredging on seagrass beds with a BACIR sampling design	
B.G. Long, D.M. Dennis, T.D. Skewes and I.R. Poiner (Cleveland, Qld., Australia)	235
Short communication	
The invasive alga Caulerpa taxifolia is not a suitable diet for the sea urchin Paracentrotus lividus	
CF. Boudouresque (Marseille, France), R. Lemée, X. Mari and A. Meinesz (Nice, France)	245
Book reviews	
Aquatic birds in the trophic web of lakes	251
Plant identification	252
Marine ecological processes	253
Erratum	
Erratum to "A quantitative study of the seagrass and algal meadows of the Spaanse Water, Curaç The Netherlands Antilles" [Aquat. Bot. 51 (1995) 291-310]	ao,
M.M.C.E. Kuenen (Amsterdam, The Netherlands) and A.O. Debrot (Curação, Antilles)	255

